

碳棒规格表

圆形中空镀铜碳棒

型号	直径×长度		工作电流(安培)
	毫米	英寸	
B503. 2	3. 2×305	1/8×12'	130-180
B504	4×305 (355)	5/32×12' (14')	150-200
B505	5×305 (355)	3/16×12' (14')	200-250
B506	6×305 (355)	15/64×12' (14')	300-350
B506. 5	6. 5×305 (355)	1/4×12' (14')	320-370
B507	7×355	9/32×14	350-400
B508	8×305 (355) (510)	5/16×12' (14') (20')	400-450
B509	9×305 (355)	23/64×12' (14')	450-500
B510	10×305 (355) (510)	3/8×12' (14') (20')	550-600
B511	11×305 (355) (510)	7/16×12' (14') (20')	700-750
B512	12×305 (355)	15/32×12' (14')	850-900
B513	13×305 (355) (430) (510)	1/2×12' (14') (17') (20')	800-1000
B516	16×355 (430) (510)	5/8×14 (17') (20')	1000-1200
B519	19×355 (430) (510)	3/4×14 (17') (20')	1400-1500

连接式镀铜碳棒

型号	直径×长度		工作电流(安培)
	毫米	英寸	
B508J	8×355	5/16×14'	500-550
B509J	9×355	23/64×14'	550-600
B510J	10×355 (430)	3/8×14' (17')	600-650
B511J	11×355 (430)	7/16×14' (17')	650-700
B512J	12×355 (430)	15/32×14' (17')	700-800
B513J	13×355 (510)	1/2×17' (20')	800-1000
B516J	16×355 (510)	5/8×17' (20')	1000-1200
B519J	19×355 (510)	3/4×17' (20')	1200-1400

矩形镀铜碳棒

型号	直径×长度		工作电流(安培)
	毫米	英寸	

B5412	4×12×355	5/32×15/32×14'	200-250
B5510	5×10×355	3/16×25/64×14'	250-300
B5512	5×12×355	3/16×15/32×14'	300-350
B5515	5×15×305 (355)	3/16×19/32×12' (14')	350-400
B5518	5×18×355	3/16×45/64×14'	400-450
B5520	5×20×355	3/16×25/32×14'	460-500
B5525	5×25×355	3/16×63/64×14'	500-550
B5620	6×20×355	15/64×25/32×14'	600-650

半圆形镀铜碳棒

型号	直径×长度		工作电流 (安培)
	毫米	英寸	
B508B	8×4×355	5/16×5/32×14'	200-250
B510B	10×5×355	3/8×3/16×14'	250-350
B513B	13×6. 5×355	1/2×1/4×14'	400-450
B516B	16×8×355 (510)	5/8×5/16×14' (20')	550-600

圆形镀铜碳棒

型号	直径×长度		工作电流 (安培)
	毫米	英寸	
B504	4×355	5/32×14'	150-250
B505	5×355	3/16×14'	150-250
B506. 5	6. 5×355	1/4×14'	200-300
B508	8×355c	5/16×14'	300-400

条纹镀铜炭棒

型号	直径×长度		工作电流 (安培)
	毫米	英寸	
B503. 2	3. 2×305 (355)	1/8×12' (14')	140-190
B504	4×305 (355)	5/32×12' (14')	170-220
B505	5×305 (355)	3/16×12' (14')	220-270
B506	6×305 (355)	15/64×12' (14')	320-370

B506.5	6.5×305 (355)	1/4×12' (14')	340–390
B507	7×355	9/32×12' (14')	370–420
B508	8×305 (355) (430) (455) (510)	5/16×12' (14') (17') (18') (20')	420–470
B509	9×305 (355) (430) (455) (510)	23/64×12' (14') (17') (18') (20')	470–520
B510	10×305 (355) (430) (455) (510)	3/8×12' (14') (17') (18') (20')	520–570
B511	11×305 (355) (430) (455) (510)	7/16×12' (14') (17') (18') (20')	620–670
B512	12×305 (355) (430) (455) (510)	15/32×12' (14') (17') (18') (20')	770–870
B513	13×305 (355) (430) (455) (510)	1/2×12' (14') (17') (18') (20')	820–1050
B516	16×305 (355) (430) (455) (510)	5/8×12' (14') (17') (18') (20')	1050–1250
B519	19×305 (355) (430) (455) (510)	3/4×12' (14') (17') (18') (20')	1250–1450